

Product Brochure For S128

Cold Saw, Includes Stand - S400B

135 x 110mm Rectangle Capacity
 Ø400mm Blade, Single Speed 42rpm



ORDER CODE:	S128
MODEL:	S400B
Cutting Head Action:	Manual
Operation Type:	Swivel - Dual Mitre
Round Capacity @ 90° / 45° (mm):	130 / 120
Square Capacity @ 90° / 45° (mm):	110 / 95
Rectangle Capacity @ 90° / 45° (WxH) (mm):	135 x 110 / 95 x 110
Blade Size - Diametre. x Bore (Ø) (mm):	400 x 40
Vice Clamping Fixture:	Manual
Coolant System:	Yes
Table Working Height (with Stand) (mm):	968
Blade Speed (rpm):	42
Motor Power (kW / hp):	1.7 / 2.25
Voltage / Amperage (V / amp):	240 / 15
Nett Weight (kg):	220



Description

Brobo - Cold Saw: Engineered for heavy duty applications, Brobo Walldown S315D, S350D & S400B ferrous metal cutting saws are specifically developed for precision cutting of steel profiles, solids and tubes. Its superior performance and reliability ensures for a burr-free, milled finish on every cut.

MODELS AVAILABLE

- S315D, S350D & S400B ferrous metal cutting saws are specifically developed for precision cutting of steel profiles, solids and tubes
- NF350 - High speed machine for Aluminium and non-ferrous cutting
- SCV - Manual clamping saw (Self Centring Vice) is purposely built for accurate cutting of ferrous materials
- VS - Manual clamping saw (240 Volt Dial Variable Speed System Electronically Controlled) is purposely built for accurate cutting of ferrous materials

Features

- QUALITY AUSTRALIAN MADE MACHINES
- Industrial cold cutting saw that is capable of a burr-free milled finish
- Mitre locking device stops at 45° left, straight 90°, and 45° right, extremely accurate mitre cutting
- Fully integrated coolant system provided on all machines
- Heavy gearbox drive designed and built to last
- Spindle and drive unit immersed in oil solution and enclosed within gearbox housing for smooth performance and reduced machine wear
- Every unit is provided with a high speed steel blade for general purpose cutting of ferrous solid and tube profiles
- Saws supplied with facilities for bench mounting onto work bench, or complete with an integrated stand
- Includes a blade and stand
- 2 year warranty

Includes

- Coolant pump system
- Blade
- Stand

Product Brochure For S128

Recommended Accessories

S092

BROBOLUBE Industrial
Gearbox Oil



S138

HSS Cold Saw Blade



S138A

HSS Cold Saw Blade



S138B

HSS Cold Saw Blade



S138C

HSS Cold Saw Blade



S138D

HSS Cold Saw Blade



S138E

HSS Cold Saw Blade



S138F

HSS Cold Saw Blade



Product Brochure For S128

S139A

HSS + COBALT Cold Saw
Blade



S139B

HSS + COBALT Cold Saw
Blade



S139C

HSS + COBALT Cold Saw
Blade



S139D

HSS + COBALT Cold Saw
Blade



S139E

HSS + COBALT Cold Saw
Blade



S090A

Soluble Metal Cutting Fluid - 1
Litre



S090

Soluble Metal Cutting Fluid - 5
Litre



S091

Soluble Metal Cutting Fluid - 20
Litre



L300

Magnetic Swarf Remover



M9991

Magnetic Floor Sweeper



L812

Roller Conveyor



L814

Roller Conveyor Stand



Product Brochure For S128

W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand




W3436
Roller Stand - V-Type



S093
Screw Retaining



S100
Vice



S094
Leadscrew Handle / Nut
Assembly



S096
Vice Nut - Brass Type



S095
Dowel Pin



S097
Love Joy Coupling



S097A
Insert Love Joy



S098A
Coolant Pump



Product Brochure For S128

S098B

Coolant Pump & Conversion Kit



S099A

Return Spring Conversion Kit



S099B

Return Spring



S098

ON/OFF SWITCH 240V




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



S0052

Dowel Pin

