

Product Brochure For S1292

Brobo Cold Saw - Intergrated Stand - S400G

100 x 150mm 90° Rectangle Capacity

415V - Ø400mm Blade, Dual Speed 42 / 85rpm



Ex GST	Inc GST
\$8,450.00	\$9,295.00

ORDER CODE:	S1292
MODEL:	S400G
Cutting Head Action:	Manual
Operation Type:	45° left, straight 90°, 45° right.
Round Capacity @ 90° / 45° (mm):	140 / 125
Square Capacity @ 90° / 45° (mm):	115 / 105
Rectangle Capacity @ 90° / 45° (WxH) (mm):	100 x 150 / 100 x 110
Blade Size - Diametre. x Bore (Ø) (mm):	400 x 40
Vice Clamping Fixture:	Manual
Coolant System:	Yes
Table Working Height (with Stand) (mm):	968
Blade Speed (rpm):	42 / 85
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	222



Description

Engineered for heavy duty applications, Brobo Group's S315G, S350G & S400G ferrous metal cutting saws are specifically developed for precision cutting of steel profiles, solids and tubes. Their superior performance and reliability ensures a burr-free, milled finish on every cut.

Features

- Quick action mitering
- Mitering locking device stops at 45° left, straight 90° and 45° right
- Fully integrated coolant system provided on all machines
- Spindle and drive unit immersed in oil solution and enclosed within gearbox housing for smooth performance and reduced machine wear
- Every unit is provided with a high speed steel blade for general purpose cutting of ferrous solid and tube profiles
- Saws supplied with facilities for bench mounting onto workbench
- Trigger Switch (DMT) to activate Machine

Includes

- Coolant pump system
- Blade
- Stand

Optional Accessories

- Dual Arm Single Manual Vice
- Pneumatic Air Vice Clamping
- Roller Conveyor with Steel Rollers
- Conveyor Mounting Brackets LHS & RHS
- Feed Roller Attachments
- Adjustable Conveyor Stands
- Broborule Length Stop Kits

Product Brochure For S1292

Specific Features



G Model Clamping



Vice Assembly

Recommended Accessories

S100

Vice

S090

Soluble Metal Cutting Fluid - 5 Litre

L812

Roller Conveyor

L814

Roller Conveyor Stand



S092

BROBOLUBE Industrial Gearbox Oil

S138


HSS Cold Saw Blade

S138A

HSS Cold Saw Blade

S138B

HSS Cold Saw Blade



Product Brochure For S1292

S138C

HSS Cold Saw Blade



S138D

HSS Cold Saw Blade



S138E

HSS Cold Saw Blade



S138F

HSS Cold Saw Blade



S139A

HSS + COBALT Cold Saw Blade



S139B

HSS + COBALT Cold Saw Blade



S139C

HSS + COBALT Cold Saw Blade



S139D

HSS + COBALT Cold Saw Blade



S139E

HSS + COBALT Cold Saw Blade



S090A

Soluble Metal Cutting Fluid - 1 Litre



S091

Soluble Metal Cutting Fluid - 20 Litre



L300

Magnetic Swarf Remover



Product Brochure For S1292

M9991
Magnetic Floor Sweeper



W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand



W3436
Roller Stand - V-Type



S093
Screw Retaining



S094
Leadscrew Handle / Nut
Assembly



S096
Vice Nut - Brass Type



S095
Dowel Pin



S097
Love Joy Coupling



S097A
Insert Love Joy



S098A
Coolant Pump



Product Brochure For S1292

S098B

Coolant Pump & Conversion Kit



S099A

Return Spring Conversion Kit




S099B

Return Spring



S098

ON/OFF SWITCH 240V




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive




O044

Rust & Corrosion Preventive



S088

HI / LO SWITCH - 2 SPEED 415V



Product Brochure For S1292

S0052

Dowel Pin

