Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S582T

Hydraulic NC Panbrake - Ezy Touch Screen Control - PB-460T

1300 x 6mm Mild Steel Bending Capacity
Hydraulic NC Panbrake - Ezy Touch Screen Control



ORDER CODE:	S582T
MODEL:	PB-460T
Controller Type:	NC EZY Touch Screen & Multiple Program
Bending Length (mm):	1300
Mild Steel Capacity (mm):	6
Stainless Steel Capacity (mm):	3
Material Clamping Type:	Hydraulic Clamp
Material Bending Type:	Hydraulic Bend
Bending Angle Indicator (deg):	0-125º
Backgauge Travel (mm):	1000
Motor (kW / hp):	4 / 5.3
Voltage / Amperage (V / amp):	415
Floor Space (L x W x H) (mm):	~
Nett Weight (kg):	1654

METALMASTER

1 YEAR WARRANTY

NO PLUG 415V

Description

The most recent edition to the Metalmaster Hydraulic NC Panbrake range now comes complete with a 7" colour touch screen control panel. The beauty of this Ezy-Touch screen design is it can store a massive 99 programs with 20 bend angles per program, and each bend angle allows you to fine-tune the material bend compensation. This feature simply removes the guess work out and takes bending to the next level to achieve accuracy & repeatability every time. Another unique attribute built-in is a quick action head allowing adjusting for the different material thickness from 1mm to 6mm

The welded frame is constructed from heavy gauge steel for superior strength & minimal flex when operating under full capacity with extreme load. Metalmaster have thought outside the box when designing & manufacturing this machine as they have also made the clamp fingers extra long so you can bend up deep boxes or pans.

Features

- 1300mm x 6mm bending capacity
- Ezy-Touch NC Touch Screen Control features 99 programs, each program has up to 20 bends & each bend has material compensation. It also incorporates a quick bend function for jobbing work
- Auto cycle: after clamping bottom beam will bend to pre-set angle and return, head unclamps to set position
- Ezy-Touch NC programmable opening height & bending dwell timer ensures consistent bending angle
- Quick action rapid head adjustment to optimise bend radius on 1-6mm material thickness
- Heavy duty steel fabricated construction
- Roving foot pedal incorporates control panel for maximum flexibility
- High quality components ensure reliable performance for years of continuous operation
- Extended fingers allows bending of pans or boxes to a depth of 210mm
- Includes an adjustable rear manual backgauge, also adjustable for tapered material
- Mild steel capacity is rated on hot rolled material with 250MPA

- Pre-Commissioning:
- 1. Panbrake bender is run & tested prior delivery
- 2. Hydraulic oil is included with machine

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S582T

Recommended Accessories

S581A
Hydraulic NC Panbrake - NC-89 Control




S583B
Hydraulic NC Panbrake - NC-89 Control



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O040
Rust & Corrosion Preventive




Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S582T

O044
Rust & Corrosion Preventive



O004
Superdraulic ISO 46 Hi Temp Hydraulic Oil



M977
Digital Bevel Box

