Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S860B

Hydraulic Swing Beam Guillotine - EURO - HGL-3106

3060 x 6mm Mild Steel Shearing Capacity
Cybelec Cybtouch 8W Touch Screen Control, Hardened Ballscrew Backgauge, Motorised Blade Gap Adjustment & Includes Pneumatic Sheet Supports



ORDER CODE:	S860B
MODEL:	HGL-3106
Shearing Capacity - Mild Steel (mm):	6
Shearing Capacity - Stainless Steel (mm):	4
Shearing Length (mm):	3060
NC Control (Type):	Cybelec Cybtouch 8W
Backgauge (Type):	Ballscrew
Backgauge Travel (mm):	1000
Pneumatic Sheet Supports:	Yes
Quick Action Blade Clearance Adjustment:	Yes
Strokes / min (SPM):	20
Blade Angle (deg):	1.6º
Throat Depth (mm):	~
Motor Power (kW / hp):	11 / 15
Voltage / Amperage (V / amp):	415
Floor Space Requirements (L x W x H) (mm):	~
Nett Weight (kg):	5900

Made in Turkiye
1 YEAR WARRANTY
NO PLUG 415V

Features

- Cybelec Cybtouch 8W NC touch colour screen control, intuitive interface, online help and many other user friendly automatic functions
- 1000mm hardened ballscrew backgauge with 0.1 mm precision with digital readout display
- Pneumatic sheet supports help prevent thin material from flexing away from back gauge
- Shear blades are tough and wear-resistant made from Böhler K110 alloyed steel manufactured in Austria : Top blade - two cutting edges & Bottom blade - four cutting edges
- Swinging top beam working on high precision and self aligning roller bearings
- Motorised blade gap adjustment via Cybelec Cybtouch 8W NC touch screen control
- LED shadow line lighting provides clear line on material
- Steel front guard with clear & obstruction free view
- Swing away backgauge enables operator to cut longer than 1000mm
- Individual hydraulic hold down system provide excellent material clamping
- Ball transfer on table allows material to slide with ease
- 1000mm squaring arm with scale, T-slot and flip-stop
- 1000mm front material support arms
- Stroke counter keeps count per cut
- Rear safety light guarding

- Made in Turkey
- Mild steel capacity is rated on hot rolled material with 250MPA

- Pre-Commissioning:
- 1. Guillotine is run & tested prior delivery
- 2. Hydraulic oil is included with machine

Includes

- CYBELEC CYBTOUCH-8W FEATURES:
- Easy operating
- Large, vivid and high-contrast fully touchscreen
- Simple pages, clear display, large keys
- Intuitive user-friendly interface
- Motorised blade gap adjustment
- Complete programming for efficient mass-production with multiple cuts
- Easy single cuts thanks to the Easy page

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S860B

- On-line help and interactive warning pop-ups
- Comfortable wireless data backup and software updating using PC or Notebook
- USB memory stick port for data transfer/backup
- Large variety of languages available

Specific Features


NC Cybelec 8W Touch Screen Control




Cybelec Cybtouch 8W Control Unit


Pneumatic Sheet Supports Type A


Motorised Blade Gap System


Squaring Arm with Adjustable Stop


Individual Hold Downs


Material Shadow Line


Ball Transfer Table


Motorised Backgauge


Rear Guarding


Rear Light Guarding


Roving Foot Control

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S860B



Emergency Stop Switch




Shown with Optional Ball Transfer Tables - Order Code (L840)

Recommended Accessories

M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O040
Rust & Corrosion Preventive



O044
Rust & Corrosion Preventive



O004
Superdraulic ISO 46 Hi Temp Hydraulic Oil

