Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S926A

Mechanical Guillotine - MG-840

2500 x 4mm Mild Steel Shearing Capacity
Manual Backgauge & Includes Rapid Blade Adjustment

On Sale

	Ex GST	Inc GST
	~~$11,950.00~~	~~$13,145.00~~
	$11,550.00	$12,705.00



ORDER CODE:	S926A
MODEL:	MG-840
Shearing Capacity - Mild Steel (mm):	4
Shearing Capacity - Stainless Steel (mm):	2.5
Shearing Length (mm):	2500
NC Control (Type):	~
Backgauge (Type):	Manual
Backgauge Travel (mm):	760
Pneumatic Sheet Supports:	~
Quick Action Blade Clearance Adjustment:	Yes
Strokes / min (SPM):	24
Blade Angle (deg):	2º
Throat Depth (mm):	~
Motor Power (kW / hp):	7.5 / 10
Voltage / Amperage (V / amp):	415
Floor Space Requirements (L x W x H) (mm):	3270 x 2230 x 1365
Nett Weight (kg):	2590

METALMASTER

1 YEAR WARRANTY

NO PLUG 415V

Features

- 2500mm x 4mm cutting capacity
- 7.5kW / 10hp 415V brake motor
- Quick action blade clearance adjustment for shearing material 1 - 4mm
- Full length material clamp bar load spring assisted
- One shot lubrication pump & reservoir for slideway protection
- Manual backgauge with digital scale display unit
- Equipped with shadow line lighting-alignment device
- Roving foot pedal control
- Clamp beam design allows clear view to shadow line on material
- Blades made from 9CrSi material suitable for cutting stainless steel
- Transfer balls inserted into work table allowing larger sheets to be easily positioned to the cut position and squaring arm
- Front sheet supports with ball bearing guides preventing material damage when setting up
- Three safety photo electric light beams on rear guarding
- Safety reset rear guarding button mounted to back of electrical box

- Mild steel capacity is rated on hot rolled material with 250MPA

- Pre-Commissioning:
- 1. Guillotine is run & tested prior delivery

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S926A

Specific Features



Front View



Right View



Control Panel



Spring Assisetd Material Clamp Bar



Quick Action Blade Clearance Adjustment


Squaring Arm with Measuring Scale


Front Sheet Supports with Roller Bearings



Material Transfer Balls on Table


Manual Back Gauge


Backgauge with Digital Readout



Backgauge Digital Readout


3 Safety Electric Photo Sensors



One Shot Lubrication


Roving Foot Pedal with Emergency Stop

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

S9982
2540mm Sheet Metal Guillotine Blade Set - 9CrSi



S924A
Mechanical Guillotine




S927
Hydraulic NC Guillotine



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S926A

O040
Rust & Corrosion Preventive



O044
Rust & Corrosion Preventive



O004
Superdraulic ISO 46 Hi Temp Hydraulic Oil

