

Product Brochure For S9920S

86° Top Punch Gooseneck Pressbrake Tooling - Segmented - TP86-150.800GS

150mm High x 800mm Long, Divided in Segments - 10, 15, 20, 40,

50, 100, 200, 365mm Amada & European Pressbrakes


Ex GST

Inc GST

\$1,290.00

\$1,419.00

Order Code:	S9920S
Model:	TP86-150.800G
Type:	86° Top Punch Gooseneck - Segmented
Size (mm):	150 x 800



METALMASTER



Description

Precision Pressbrake Gooseneck Punch made from chromium-molybdenum high strength steel and heat treated for long term durability.

Nose Angle - 86 Degrees

Nose Radius - 0.5mm

Total Height - 150mm


Shoulder height - 120mm

Max. Tonnage - 500kN/m

Length - 800mm divided into the following segments: 10, 15, 20, 40, 50, 100, 200, 365mm

Suits MetalMaster, Amada & European Pressbrakes

Product Brochure For S9920S



Product Brochure For S9920S

Specific Features



Full View

Measuerments

Recommended Accessories

S905GL

Hydraulic NC Pressbrake

S906GL

Hydraulic NC Pressbrake

S908GL

Hydraulic NC Pressbrake

S909GL

Hydraulic NC Pressbrake



S910GL

Hydraulic NC Pressbrake

S912GL

Hydraulic NC Pressbrake

