Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S9920S


86º Top Punch Gooseneck Pressbrake Tooling - Segmented - TP86-150.800GS

150mm High x 800mm Long, Divided in Segments - 10, 15, 20, 40, 50,100, 200, 365mm

Suits MetalMaster, Amada & European Pressbrakes

On Sale

	Ex GST	Inc GST
	~~$1,290.00~~	~~$1,419.00~~
	$1,220.00	$1,342.00



Order Code:	S9920S
Model:	TP86-150.800G
Type:	86º Top Punch Gooseneck - Segmented
Size (mm):	150 x 800


Description

Precision Pressbrake Gooseneck Punch made from chromium-molybdenum high strength steel and heat treated for long term durability.

Nose Angle - 86 Degrees
Nose Radius - 0.5mm
Total Height - 150mm
Shoulder height - 120mm
Max. Tonnage - 500kN/m
Length - 800mm divided into the following segments: 10, 15, 20, 40, 50,100, 200, 365mm

Suits MetalMaster, Amada & European Pressbrakes

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For S9920S

Specific Features



Full View



Measuerments

Recommended Accessories

S905GL
Hydraulic NC Pressbrake



S906GL
Hydraulic NC Pressbrake



S908GL
Hydraulic NC Pressbrake



S909GL
Hydraulic NC Pressbrake



S910GL
Hydraulic NC Pressbrake



S912GL
Hydraulic NC Pressbrake

