

Product Brochure For W1646

STICK (MMA) WELDER - RAZOR ARC 180

240V / 15amp

10-180 Amps Welding Current Range

Ex GST
\$517.27

Inc GST
\$569.00



ORDER CODE:	W1646
Type:	STICK WELDER
MODEL:	RAZOR™ ARC 180
Part Number:	#KUMJRRW180CA
Voltage / Amperage (V / amp):	240 / 15
Recommended Plug (amp):	15
Input Frequency (Hz) (Hz):	~
Input Current (amp):	~
Imax (A) (amp):	~
Ieff Current (amp):	14.7
Power Rating (kVA):	~
Rated Output Current (amp / V):	180 / 27.2
Range of Output Current (amp):	-
Arc Force (amp):	~
No Load Voltage (V):	78
Pre-Flow (S) (sec):	~
Clean Width (%) (%):	~
Slope-Down Time (S) (sec):	~
Post-Flow Time (sec):	~
Base Current (%):	~
Pulse Frequency (Hz):	~
Pulse Duty Cycle (%):	~
TIG Welding Thickness Range (mm):	~
MMA Welding Thickness Range (mm):	~
MMA Electrode Range (mm):	~
Duty Cycle 40 Deg C - TIG (% @ amp):	25 @ 180
Duty Cycle 40 Deg C - MMA (% @ amp):	20 @ 180
Duty Cycle 40 Deg C - Plasma (% @ amp):	~
Plasma Severance Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Aluminium (mm):	~
Dinse Connector:	~
Protection Class:	IP23S
Insulation Class:	H
Standard:	~
Remote Control (Yes / -):	~
Recommended Generator (kVA):	~
Efficiency (%):	~
Power Factor:	-
Dimensions (mm):	370 x 125 x 255
Nett Weight (kg):	5.8

Description

This powerful, professional STICK (MMA) machine is designed to be taken on the worksite or the workshop.

Packed full of advanced features including hot start, arc force and anti-stick
 Capable of DC Lift Arc TIG for more versatility
 A 5-year warranty to reflect our confidence in this machine

Features

- HD Backlit Interface

Product Brochure For W1646

- DC Lift Arc TIG
- Smart Fan
- Advanced MMA Features
- Lightweight & Portable

Includes

- RAZOR ARC 180 PFC Welder
- 4m Twist Lock Electrode Holder
- 4m 300 Amp Earth Clamp & Lead
- Operating Manual

Specific Features



Front View



Full Kit

Recommended Accessories

W241
 Universal Welder Trolley



W2415
 TRI-CART Multi-Machine
 Welding Trolley



W10361
 Magnetic TIG Torch Rest



W170
 Air Cooled TIG Welding Torch



Product Brochure For W1646

W119

Anti-Spatter Spray



O0184

Ar/O2 - Argon 98% & Oxygen 2% Disposable Cylinder



O0185

CO2/Ar - 86% Argon & 14% Carbon Dioxide Disposable Cylinder



O300

Gas Refillable Cylinder



O304

Gas Refillable Cylinder



O3045

Gas Refillable Cylinder



O302

Gas Refillable Cylinder



O306

Gas Refillable Cylinder



O3065

Gas Refillable Cylinder



O0171

Argon Gas Regulator



W161

Argon Gas Regulator-Bobbin Flowmeter



W160A

Argon Gas Regulator-Twin Gauge



Product Brochure For W1646

W590

1.6mm Tig Tungsten Electrode - Zirconiated White



W596

2.4mm Tig Tungsten Electrode - Zirconiated White



W597

1.6mm Tig Tungsten Electrode - Ceriated Grey



W598

2.4mm Tig Tungsten Electrode - Ceriated Grey



W002

Auto Darken Welding Helmet - 9-13 Shade



W1000A

Promax HV5 Welding Jacket



W1001A

Promax Blue FR Welding Jacket



W1002A

Professional Promax BL7 Welding Jacket




W100

ROGUE™ Heavy Duty Welding Gloves - 400mm



L3456

How to Weld Book



W225

Welding Curtain



W125

Ø1.6mm TIG Filler Rod - Mild Steel



Product Brochure For W1646

W126

Ø2.4mm TIG Filler Rod - Mild Steel



W127

Ø1.6mm TIG Filler Rod - Stainless Steel



W128

Ø2.4mm TIG Filler Rod - Stainless Steel

