Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W1646

STICK (MMA) WELDER - RAZOR ARC 180

240V / 15amp

10-180 Amps Welding Current Range

On Sale

	Ex GST	Inc GST
	~~$553.64~~	~~$609.00~~
	$526.36	$579.00



ORDER CODE:	W1646
Type:	STICK WELDER
MODEL:	RAZOR™ ARC 180
Part Number:	#KUMJRRW180CA
Voltage / Amperage (V / amp):	240 / 15
Recommended Plug (amp):	15
Input Frequency (Hz) (Hz):	~
Input Current (amp):	~
Imax (A) (amp):	~
Ieff Current (amp):	14.7
Power Rating (kVA):	~
Rated Output Current (amp / V):	180 / 27.2
Range of Output Current (amp):	-
Arc Force (amp):	~
No Load Voltage (V):	78
Pre-Flow (S) (sec):	~
Clean Width (%) (%):	~
Slope-Down Time (S) (sec):	~
Post-Flow Time (sec):	~
Base Current (%):	~
Pulse Frequency (Hz):	~
Pulse Duty Cycle (%):	~
TIG Welding Thickness Range (mm):	~
MMA Welding Thickness Range (mm):	~
MMA Electrode Range (mm):	~
Duty Cycle 40 Deg C - TIG (% @ amp):	25 @ 180
Duty Cycle 40 Deg C - MMA (% @ amp):	20 @ 180
Duty Cycle 40 Deg C - Plasma (% @ amp):	~
Plasma Severance Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Aluminium (mm):	~
Dinse Connector:	~
Protection Class:	IP23S
Insulation Class:	H
Standard:	~
Remote Control (Yes / ~):	~
Recommended Generator (kVA):	~
Efficency (%):	~
Power Factor:	-
Dimensions (mm):	370 × 125 × 255
Nett Weight (kg):	5.8

Description

This powerful, professional STICK (MMA) machine is designed to be taken on the worksite or the workshop.

Packed full of advanced features including hot start, arc force and anti-stick
Capable of DC Lift Arc TIG for more versatility
A 5-year warranty to reflect our confidence in this machine

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W1646

Features

- HD Backlit Interface
- DC Lift Arc TIG
- Smart Fan
- Advanced MMA Features
- Lightweight & Portable

Includes

- RAZOR ARC 180 PFC Welder
- 4m Twist Lock Electrode Holder
- 4m 300 Amp Earth Clamp & Lead
- Operating Manual

Specific Features



Front View



Full Kit

Recommended Accessories

W241
Universal Welder Trolley



W2415
TRI-CART Multi-Machine Welding Trolley



W10361
Magnetic TIG Torch Rest



W170
Air Cooled TIG Welding Torch



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W1646

W119
Anti-Spatter Spray



O0185
CO2/Ar - 86% Argon & 14% Carbon Dioxide Disposable Cylinder



O300
Gas Refillable Cylinder



O304
Gas Refillable Cylinder



O3045
Gas Refillable Cylinder



O302
Gas Refillable Cylinder



O306
Gas Refillable Cylinder



O3065
Gas Refillable Cylinder



O0171
Argon Gas Regulator



W161
Argon Gas Regulator-Bobbin Flowmeter



W160A
Argon Gas Regulator-Twin Gauge



W590
1.6mm Tig Tungsten Electrode - Zirconiated White



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W1646

W596
2.4mm Tig Tungsten Electrode - Zirconiated White



W597
1.6mm Tig Tungsten Electrode - Ceriated Grey



W598
2.4mm Tig Tungsten Electrode - Ceriated Grey



W002
Auto Darken Welding Helmet - 9~13 Shade



W1000A
Promax HV5 Welding Jacket



W1001A
Promax Blue FR Welding Jacket




W1002A
Professional Promax BL7 Welding Jacket



W100
ROGUE™ Heavy Duty Welding Gloves - 400mm



L3456
How to Weld Book



W225
Welding Curtain



W125
Ø1.6mm TIG Filler Rod - Mild Steel



W126
Ø2.4mm TIG Filler Rod - Mild Steel



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W1646

W127

Ø1.6mm TIG Filler Rod - Stainless Steel



W128

Ø2.4mm TIG Filler Rod - Stainless Steel

