

Product Brochure For W171C

Air Cooled Arc Torchology® TIG Welding Torch - T2

EURO Connector

4 Metre

Ex GST
\$300.00

Inc GST
\$330.00



ORDER CODE:	W171C
MODEL:	T2 - EURO
Lead Length (m):	4
Connector Type:	EURO
Connector Size (mm):	~
Maximum Amp Rating (amp):	190



Description

The ARC TORCHOLOGY® T2 TIG Torch has been designed for maximum performance and longer consumable lifecycles. Thanks to exclusive torch technologies, this torch boasts a 30% better power to weight ratio compared to standard UNIMIG torches – more power in a lightweight body!

FORCE COOL™ TECHNOLOGY:

A highly effective series of passages and wells force cool the collet, maximising conductivity and extending consumable life.

HEAT ZONE ISOLATION™ TECHNOLOGY:

Transferred heat from the ceramic cup is isolated by a unique external barrier resulting in cooler running torches with increased power to weight performance ratios.

TUNGSTEN RELEASE SYSTEM™:

Trouble free extension of the electrode with a 180° twist of the back cap. There is no need to remove any other wear parts to extend the electrode.

Features

- ARC TORCHOLOGY® T2 TIG Torch
- 190A AIR COOLED TIG WELDING TORCH
- Rating: 190Amp DC, 135Amp AC @ 35% duty cycle.
- Designed for operator comfort
- Cooling Method: Air Cooled
- Duty Cycle: DC35% @ 190 Amps
- Duty Cycle: AC35% @ 135 Amps
- Dinse Style: Euro Style
- Length 4 Metre

Product Brochure For W171C

Specific Features



Force Cool Technology



Heat Zone Isolation Technology



Tungsten Release System



Euro Connect

Recommended Accessories

W5991

Ø10mm Ceramic Nozzle



W5993

1.6mm Collet Body



W5994

2.4mm Collet Body



W5996

Head Gasket



W5997

Heat Isolator



W5998

Long Black Cap



W5999

Short Back Cap



W10361

Magnetic TIG Torch Rest



Product Brochure For W171C

W590

1.6mm Tig Tungsten Electrode -
Zirconiated White



W596

2.4mm Tig Tungsten Electrode -
Zirconiated White



W597

1.6mm Tig Tungsten Electrode -
Ceriated Grey



W598

2.4mm Tig Tungsten Electrode -
Ceriated Grey

