

Product Brochure For W247

MIG WELDER - TRADE 250 SWF

#KTS250SWF

30-250 Amps Welding Current Range



ORDER CODE:	W247
MODEL:	TRADE 250SWF
Type:	MIG WELDER
Part Number:	KTS250SWF
Voltage (V):	240
Recommended Plug Amperage (amp):	20
Welding Current Range - MIG (amp):	30 - 250
Welding Current Range - STICK (amp):	~
Welding Current Range - TIG (amp):	~
Duty Cycle (% @ amp):	30 @ 250
Wire Spool Size (kg):	5 & 15
Ferrous Wire Size - Range (mm):	0.6 - 1.0
Stainless Steel Wire Size - Range (mm):	0.8 - 1.0
Aluminium Wire Size - Range (mm):	0.8 - 1.2
MMA Rod Size (mm):	~
Wire Feeding Speed (m/min):	~
Recommended Generator (KVA):	~
Dimensions (mm):	445 x 890 x 780
Nett Weight (kg):	37



Description

The Unimig Trade 250 combines professional welding performance and reliability without compromising your budget. It is designed for light to medium fabrication work and is ideal for workshop and rural applications. The Trade series is supplied with a heavy duty geared wire feed mechanism, and the SWF is supplied with 8 metre interconnecting cables and a completely enclosed WF2 wire feed unit helping to prevent dust and moisture fouling your wire and contaminating your weld.

Features

- Multi function control incorporating 4T (Electronic trigger latching) 2T (Standard Trigger), Spot welding (Model 340 with stitch welding function)
- Precision, high quality geared wire drive unit
- Multi-positional switches
- Large enclosed cooling fan for high duty cycle & copper-wound transformer
- Thermal overload protection
- Reverse polarity
- Separate wire feed units supplied with 8 metre interconnecting cables

Includes

- Argon regulator
- Gas Hose
- 8 metre Earth lead
- SB25 3 Metre MIG torch (optional 4 metre)



Product Brochure For W247

Recommended Accessories

W119

Anti-Spatter Spray



O0184

Ar/O₂ - Argon 98% & Oxygen 2% Disposable Cylinder



O0185

CO₂/Ar - 86% Argon & 14% Carbon Dioxide Disposable Cylinder



O300

Gas Refillable Cylinder



O304

Gas Refillable Cylinder



O3045

Gas Refillable Cylinder



O302

Gas Refillable Cylinder



O306

Gas Refillable Cylinder



Product Brochure For W247

O3065
Gas Refillable Cylinder



O0171
Argon Gas Regulator



W160A
Argon Gas Regulator-Twin Gauge



W161
Argon Gas Regulator-Bobbin Flowmeter



W100
ROGUE™ Heavy Duty Welding Gloves - 400mm




W001
Auto Darken Welding Helmet - 9~13 Shade



W002
Auto Darken Welding Helmet - 9~13 Shade



L3456
How to Weld Book



W225
Welding Curtain



W135
Ø0.9mm Mild Steel MIG Welding Wire



W136
Ø0.8mm Mild Steel MIG Welding Wire



W138
Ø0.6mm Mild Steel MIG Welding Wire



Product Brochure For W247

W138A

Ø0.6mm Mild Steel MIG
Welding Wire



W140

Ø0.8mm Mild Steel MIG
Welding Wire



W140A

Ø0.8mm Mild Steel MIG
Welding Wire



W142

Ø0.9mm Mild Steel MIG
Welding Wire



W143

Ø1.0mm Aluminium MIG
Welding Wire



W144

Ø1.2mm Aluminium MIG
Welding Wire



W145

Ø0.9mm Gasless Mild Steel
MIG Welding Wire



W145A

Ø0.9mm Gasless Mild Steel
MIG Welding Wire

