

## Product Brochure For W425

### Wood Band Saw - BP-500

2 Blade Speeds - 565 & 670m/min  
 510mm Throat Depth x 335mm Height Capacity



**On Sale**

Ex GST	Inc GST
<del>\$3,350.00</del>	<del>\$3,685.00</del>
<b>\$3,090.00</b>	<b>\$3,399.00</b>

ORDER CODE:	W425
MODEL:	BP-500
Wheel Diameter (Ø) (mm):	525
Throat Capacity (mm):	510
Height Capacity (mm):	335
Table Size (mm):	508 x 612
Frame Type:	Steel
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Blade Code (Suits):	W425A, W425B, W425C
Blade Size (L x W x T) (mm):	3937 x 25.4 x 0.70
Floor Space (W x D x H) (mm):	1050 x 800 x 1910
Nett Weight (kg):	290



### Description

The Hafco Woodmaster Taiwanese made trade series BP-500 bandsaw is among the very best of our premium 510mm deep cutting bandsaws on the market.

The welded steel frame is extraordinary rigidity, allowing superiorly high blade tensions and can handle up to a 38mm wide blade. The machine is powered 2.2kW/3hp 240V smooth and powerful motor & incorporates a mechanically foot brake lever allowing operator to stop the motor & blade fro rotating very quickly. The large cast iron blade wheels provide extra inertia to help cut through the toughest timbers and are balanced for smooth operation when running. Uniquely, the precision ground cast iron heavy duty table and cast iron rip fence ensures great stability & accuracy when using on any variety of timbers.

The 6 ball bearing blade guide system, 3 located on the adjustable height guide & 3 below the table offer outstanding blade accuracy that is required in a heavy duty machine. Also fitted are cast iron trunnions that offer a solid table mounting base and allows the table to tilt and be securely locked into place for those jobs that require angle cuts. The worm gear system for the blade guide post movement is used for quick and easy height adjustment settings. Safety features like magnetic power switch & tamper proof door interlock micro switches are fitted to this machine providing peace of mind for the operator.

### Features

- 2.2kW / 3hp 240V motor
- 2 blade speeds (565 & 670m/min)
- Foot brake with micro-switch
- Magnetic switch with overload protection
- Heavy duty cast iron wheels and Ripping fence
- Tamper proof micro switches on top & bottom doors
- Cast iron table tilts to 45°
- Ball bearing blade guides
- Blade width tension indicator
- Viewing window for blade alignment
- 100mm dust chute
- Includes rip fence and mitre guide
- Quality Taiwanese Manufacture

### Includes

- Mitre guide
- Cast iron Rip fence

Product Brochure For W425

**Specific Features**



Table Tilt



Table With Sliding Fence



Mitre Guide



Ball Bearing Blade Guide



Blade Height Indicator



Table Tilt Adjustment



Foot Brake Lever



Blade Height Adjustment-Lock



Blade Width And Tension




Rear View



Doors Open



Heavy Duty Cast Iron Wheel



Blade View Window



Magnetic Safety Switch



Dust Chute

Product Brochure For W425

**Recommended Accessories**

**W425A**

Wood Band Saw Blade - 3TPI,  
 Blade - 3937 x 25.4 x 0.9mm



**W425B**

Wood Band Saw Blade - 6TPI,  
 Blade - 3937 x 25.4 x 0.9mm



**W425C**

Wood Band Saw Blade -  
 1.25TPI, Blade - 3937 x 25.4 x  
 0.9mm



**W311**

Ripping Gauge



**W309**

Safety Push Blocks & Stick Set



**W308**

Mitre Gauge & Fence



**W394**

Dust Collector



**W344**

Wood Dust Accessory Kit



Product Brochure For W425

W334  
 Dust Hose Reducer



W333  
 Dust Hose Reducer



W335  
 Blast Gate



W336  
 Dust Hose Elbow - 90 Degree



W337  
 Dust Hose Y Adaptor



W338  
 Dust Hose Universal Dust Hood



W339  
 Dust Hose Floor Sweeper Attachment



W340  
 Dust Hose Clamp



W343  
 Roller Stand



W343A  
 Roller Stand



W3434  
 Roller Stand

