Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W561

MIG Torch - 4 Metre - SB24-4M

4 Metre
Suits 190-250 Amp



ORDER CODE:	W561
Part Number:	SB24-4M
Type:	MIG Torch
Amperage (amp):	250
Electrical Pin Connector:	~
Duty Cycle Rating: CO2:	60% @ 250amp
Duty Cycle Rating: Mixed Gas:	60% @ 220amp
Includes U-Groove Roller (mm):	~
Wire Size Capability (mm):	0.6 - 1.2
Torch Connector (Type):	Euro Connector

Description

Suregrip Series
SB24 MIG Torch

Features

- 250A Air Cooled Mig Welding Torch
- Rating:250A CO^2
- 220A mixed gas
- EN60974-7 @ 60% duty cycle
- 0.6 to 1.2mm wires

UNIMIG
Suregrip Series

Consumable parts

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.

Hanger Hook

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Medium Ergo Trigger Assembly

Rapid field servicing ensured by a simple "plug and play" system. Switches can be exchanged in 5 seconds without the use of tools.

Knuckle Joint and Cable Support

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.



Spring Pins

Fitted with unbreakable spring loaded gun plug body pins.

Rear Cable Support

Extra length cable support systems ensure smooth and consistent wire feed at any angle.



Swan Necks

Manufactured to the same specification as the OEM.



Ergo Handle

A patented screwless design combines the ultimate in balance, positioning and ergonomics. Torch handles disassemble in 5 seconds for rapid fault analysis.
Top and bottom handle soft grips ensure all day welder comfort.

Hyperflex Cable Systems

Air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable.
The outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.



Gun Plug Housing

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7.

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

W10362
Magnetic MIG Torch Rest



W546
0.6mm Binzel Style M6x8mm Contact Tips - Steel



W548
0.8mm Binzel Style M6x8mm Contact Tips - Steel



W549
0.9mm Binzel Style M6x8mm Contact Tips - Steel



W550
1.0mm Binzel Style M6x8mm Contact Tips - Steel



W552
1.2mm Binzel Style M6x8mm Contact Tips - Steel



W549A
0.9mm Binzel Style M6x8mm Contact Tips - Aluminium



W550A
1.0mm Binzel Style M6x8mm Contact Tips - Aluminium



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W561

W552A
1.2mm Binzel Style M6x8mm Contact Tips - Aluminium



W539
Binzel Style 0.6-0.8mm Blue Steel Torch Liner

W567
Binzel Style 0.9-1.2mm Red Aluminium Torch Liner


W555
Binzel Style 24 Conical Nozzles



W557
Binzel Style 24 Contact Tip Holders



W556
Binzel Style 24 Gas Diffusers



W558
Binzel Style 24 Swan Neck Assembly



W563
MIG Torch - 3 Metre

