Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For W572

MIG Torch - 3 Metre - SB36-3M

3 Metre
Suits 335-400 Amp



Special Order

Ex GST	Inc GST
$220.00	$242.00

ORDER CODE:	W572
Part Number:	SB36-3M
Type:	MIG Torch
Amperage (amp):	300
Electrical Pin Connector:	~
Duty Cycle Rating: CO2:	60% @ 300amp
Duty Cycle Rating: Mixed Gas:	60% @ 270amp
Includes U-Groove Roller (mm):	~
Wire Size Capability (mm):	0.6 - 1.2
Torch Connector (Type):	Euro Connector

Description

Suregrip Series
SB36 MIG Torch

Features

- 300A AIR COOLED MIG WELDING TORCH
- Rating:300A CO^2
- 270A mixed gas
- EN60974-7 @ 60% duty cycle
- 0.8 to 1.2mm wires

UNIMIG Suregrip Series



Swan Necks

Manufactured to the same specification as the OEM.



Consumable parts

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.

Hanger Hook

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Ergo Handle

A patented screwless design combines the ultimate in balance, positioning and ergonomics. Torch handles disassemble in 5 seconds for rapid fault analysis.
Top and bottom handle soft grips ensure all day welder comfort.

Medium Ergo Trigger Assembly

Rapid field servicing ensured by a simple "plug and play" system. Switches can be exchanged in 5 seconds without the use of tools.

Knuckle Joint and Cable Support

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Hyperflex Cable Systems

Air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable.
The outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.



Spring Pins

Fitted with unbreakable spring loaded gun plug body pins.



Rear Cable Support

Extra length cable support systems ensure smooth and consistent wire feed at any angle.

Gun Plug Housing

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7.

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

W10362
Magnetic MIG Torch Rest



W539
Binzel Style 0.6-0.8mm Blue Steel Torch Liner



W538
Binzel Style 0.9-1.2mm Red Steel Torch Liner



W567
Binzel Style 0.9-1.2mm Red Aluminium Torch Liner



W564
Binzel Style 36 Conical Nozzles



W576
Binzel Style 36 Gas Diffusers



W568
Binzel Style 36 Swan Neck Assembly

