

Product Brochure For W590

1.6mm Tig Tungsten Electrode - Zirconiated White - WZ8

PTR0006-16

Electrode Sold as 10PKT

Ex GST
\$22.00

Inc GST
\$24.20



ORDER CODE:	W590
Part Number:	TR0006-16
Rod Size (mm):	1.6
Tungsten Type:	Zirconiated - White
Material Application:	Aluminium Alloys
Quantity Per Pack:	1



Description

WZ8 0.8% Zirconiated Tungsten Electrodes (AWS classification EWZr-1) contain a minimum of 99.10 per cent tungsten and 0.15 to 0.40 per cent zirconium. Most commonly used for AC welding Zirconiated tungsten produces a very stable arc and is resistant to tungsten spitting. It is ideal for AC welding because it retains a balled tip and has a high resistance to contamination. Its current-carrying capacity is equal to or greater than that of thoriated tungsten. Zirconiated tungsten is not recommended for DC welding.

Features

- 1.6mm x 175mm
- Superior element mix
- Super fine grain structure
- Seamless extrusion
- Ground polished finish

Product Brochure For W590

Recommended Accessories

W587
2 x Ø10mm Alumina Nozzles



W586
2 x 1.6mm Collet Holders



W594
2 x 2.4mm Collet Holders



W585
2 x 1.6mm Collets



W593
2 x 2.4mm Collets



W588
2 x Long Back Caps



W589
2 x Short Back Caps



W596
2.4mm Tig Tungsten Electrode - Zirconiated White



Product Brochure For W590

W597

1.6mm Tig Tungsten Electrode -
 Ceriated Grey



W598

2.4mm Tig Tungsten Electrode -
 Ceriated Grey



W170

Air Cooled TIG Welding Torch



W170A

Air Cooled TIG Welding Torch



W171A

Air Cooled TIG Welding Torch



W171

Air Cooled TIG Welding Torch



W183

MIG/TIG/STICK WELDER

