

## Product Brochure For W855

# Wood Band Saw - Basato 3h Vario

305mm Throat Depth x 205mm Height Capacity



|                               |                   |
|-------------------------------|-------------------|
| ORDER CODE:                   | W855              |
| MODEL:                        | Basato 3h Vario   |
| Wheel Diameter (Ø) (mm):      | 315               |
| Throat Capacity (mm):         | 305               |
| Height Capacity (mm):         | 205               |
| Table Size (mm):              | 548 x 400         |
| Frame Type:                   | Steel             |
| Motor Power (kW / hp):        | 0.8 / 1.06        |
| Voltage / Amperage (V / amp): | 240 / 10          |
| Blade Code (Suits):           | W854A, W854AB     |
| Blade Size (L x W x T) (mm):  | 2360 x 13 x 0.65  |
| Floor Space (W x D x H) (mm): | 1100 x 650 x 1680 |
| Nett Weight (kg):             | 72                |



## Description

Continuous speed control

The Basato 3h offers you special features like continuous speed control within a range from 370 to 750 m/min ensuring, at the same time, utmost accuracy by means of top and bottom 3-roller precision guides. For smooth running, the balanced and polished band wheels are fitted with a rubber facing.

The tilting table copes with every task. The large cast iron table offers a safe work-piece support. The tilting table has a precise one hand setting control ranging from -17° to +45°, while the throat width is 305mm. The precision fence system is equipped with a magnifying glass and a safety cut out switch is fitted to the blade door.

TABLE ADJUSTMENT= -17 to +45°  
 TABLE HEIGHT= 1020mm  
 TABLE SIZE= 548 x 400mm  
 SUCTION CONNECTOR= 100mm  
 BLADE SPEED= 370-750m/min  
 DIMENSIONS (LxWxH)= 1000 x 600 x 1680mm

## Features


- German design & technology
- Unique variable speed drive system 370 to 750m/min
- Large 548 x 400mm cast iron table
- Twin 3-roller precision blade guides ensure precise cuts
- 305 x 205mm cutting capacity
- Solid rip fence with eye-glass for precise settings
- Precision rip fence with magnifier. Conveniently inserted from above for right and left hand use
- Patented table tilting from -17° to +45°
- 800W 240V motor
- Standard base unit with wheel kit
- For smooth running, the balanced and polished band wheels are fitted with a rubber facing
- Includes heavy duty mitre gauge & 95mm dust chute

## Product Brochure For W855

### Specific Features



Precision rip fence with magnifier Conveniently inserted from above for right and left hand use



Variable speed control by conveniently placed hand wheel



Large cast iron table with swivel capacity of -17deg to +45deg enhances versatility



Twin 3 roller precision blade guides ensure precise cuts



Unique variable speed drive system 370 750mm



The new base unit with standard wheel base

### Recommended Accessories

#### W854A

Wood Band Saw Blade - 6TPI,  
 Blade - 2360 x 12 x 0.65mm



#### W930

Mobile Base



#### W931

Mobile Base - Heavy Duty



#### W332

Dust Collector



## Product Brochure For W855

**W886**  
Dust Collector



**W344**  
Wood Dust Accessory Kit



**W334**  
Dust Hose Reducer



**W333**  
Dust Hose Reducer



**W335**  
Blast Gate



**W336**  
Dust Hose Elbow - 90 Degree



**W337**  
Dust Hose Y Adaptor



**W338**  
Dust Hose Universal Dust Hood



**W339**  
Dust Hose Floor Sweeper Attachment



**W340**  
Dust Hose Clamp



**W343**  
Roller Stand



**W343A**  
Roller Stand



## Product Brochure For W855

---

W3434

Roller Stand

