

Product Brochure For ZD185-20

Pedestal Mill Drill - Geared & Tilting Head - Transit Damage

Sydney Garage Sale
 Pickup Only



ORDER CODE:	ZD185
MODEL:	DMF-44
Branch Location (State):	Melbourne
Type:	Pedestal Mill Drill
Brand:	HAFCO METALMASTER
Capacity:	31.5mm
Speed Range (rpm):	~
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10



Description

Transit Damage

Sold without warranty.

Sydney Pickup Only

The DMF-44 pedestal milling & drilling machine offers a new dimension of milling capabilities compared to the standard conventional mill drills, as this machine allows you to have a longer job to fit onto the table or even mount your work directly to the machine base for maximum height clearance.

This machine has a tapping function switch to allow you to control the required depth when tapping holes. The milling head also has provisions to adjust up and down in addition to the worktable movement up & down as well, given you the optimum options to best suit your requirements.

The spindle on this machine is a 3 morse taper that is driven by a 2hp, 240V motor via gears in the head to ensure maximum drive without any slippage that can occur & generally inherited with belt drive heads.

Features

- Ideal for home or light industrial workshop use
- Geared head drill & mill machine with 3 morse taper spindle
- 6 drilling speeds from 95-1650rpm
- Thread tapping function
- Coolant pump system with flexible hose
- Micro down feed adjustment
- Mill head tilts to $\pm 90^\circ$
- Milling table travels 480 x 200mm
- Swivel safety drilling chuck guard
- Emergency stop switch and overload protection
- Adjustable accurate depth setting for increased productivity
- Rack and pinion wind-up table
- Rack and pinion wind-up drill head
- Thick walled column ensuring greater rigidity
- Concertina slide way cover on y axis

Product Brochure For ZD185-20

- Adjustable gibs on table
- 14mm T slotted work table and base
- 1.5kW 240V motor

Includes

- Face milling cutter with inserts
- 13mm keyed drill chuck and arbor
- Chuck key to suit
- MT3 to MT2 drill sleeve adapter
- Drill drift tool to remove drill chuck or taper shank drills
- M12 x 1.75mm drawbar
- 1/2" x 12TPI drawbar
- Safety cutter guard

Recommended Accessories

D695

3-Axis Optimum Digital Readout Counter - 1µm



D694

1500mm Optimum Magnetic Digital Readout Scale



M230

Power Feed Unit



M240

Transformer



D322

3MT Morse Taper Shank Drill Bit



K150

Mill-Drill Accessory Package Deal - Imperial Cutters



K151

Mill-Drill Accessory Package Deal - Metric Cutters



C0965

Clamp Kit 58 piece - Workshop Series



Product Brochure For ZD185-20

C922B
 Collet & Chuck Set - 8 Piece



C926
 Collet & Chuck Set - 20 Piece



M3301
 Metric HSS Slot Drill & End Mill Set - 10 Piece



M3321
 Imperial HSS Slot Drill & End Mill Set - 10 Piece



D1171
 Metric Industrial HSS Reduced Shank Drill Set



D1181
 Imperial Industrial HSS Reduced Shank Drill Set



D117
 Metric HSS Reduced Shank Drill Set



D4433
 3MT x JT3 Drill Chuck Arbor - 1/2" BSW Threaded Shank



D4436
 3MT x JT6 Drill Chuck Arbor - 1/2" BSW Threaded Shank



C289
 Heavy Duty Drill Chuck - Keyed Type



C290
 Heavy Duty Drill Chuck - Keyed Type



C292
 Industrial Drill Chuck - Keyless Type



Product Brochure For ZD185-20

C294
 Industrial Drill Chuck - Keyless Type



T004B
 Tapping Chuck - Fixed



L300
 Magnetic Swarf Remover



S090A
 Soluble Metal Cutting Fluid - 1 Litre



S090
 Soluble Metal Cutting Fluid - 5 Litre




M9991
 Magnetic Floor Sweeper



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



Product Brochure For ZD185-20

O044

Rust & Corrosion Preventive

