

Product Brochure For ZS584T

Hydraulic NC Panbrake - Ezy Touch Screen Control - PB-830T

Condition: Ex-demo
 Warranty: Limited RTB



ORDER CODE:	ZS584T
MODEL:	PB-830T
Controller Type:	NC EZY Touch Screen & Multiple Program
Bending Length (mm):	2500
Mild Steel Capacity (mm):	4
Stainless Steel Capacity (mm):	2
Material Clamping Type:	Hydraulic Clamp
Material Bending Type:	Hydraulic Bend
Bending Angle Indicator (deg):	0-125°
Backgauge Travel (mm):	1000
Motor (kW / hp):	5.5 / 7.5
Voltage / Amperage (V / amp):	415
Floor Space (L x W x H) (mm):	3150 x 1540 x 1440
Nett Weight (kg):	2776

METALMASTER



Description

Condition: Ex-demo
 Warranty: Limited RTB

The most recent edition to the Metalmaster Hydraulic NC Panbrake range now comes complete with a 7" colour touch screen control panel. The beauty of this Ezy-Touch screen design is it can store a massive 99 programs with 20 bend angles per program, and each bend angle allows you to fine-tune the material bend compensation. This feature simply removes the guess work out and takes bending to the next level to achieve accuracy & repeatability every time. Another unique attribute built-in is a quick action head allowing adjusting for the different material thickness from 1mm to 4mm

The welded frame is constructed from heavy gauge steel for superior strength & minimal flex when operating under full capacity with extreme load. Metalmaster have thought outside the box when designing & manufacturing this machine as they have also made the clamp fingers extra long so you can bend up deep boxes or pans.

Features

- 2500mm x 4mm bending capacity
- Ezy-Touch NC Touch Screen Control features 99 programs, each program has up to 20 bends & each bend has material compensation. It also incorporates a quick bend function for jobbing work
- Auto cycle: after clamping bottom beam will bend to pre-set angle and return, head unclamps to set position
- Ezy-Touch NC programmable opening height & bending dwell timer ensures consistent bending angle
- Quick action rapid head adjustment to optimise bend radius on 1-4mm material thickness
- Heavy duty steel fabricated construction
- Roving foot pedal incorporates control panel for maximum flexibility
- High quality components ensure reliable performance for years of continuous operation
- Extended fingers allows bending of pans or boxes to a depth of 205mm
- Includes an adjustable rear manual backgauge, also adjustable for tapered material
- Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
 1. Panbrake bender is run & tested prior delivery
 2. Hydraulic oil is included with machine

Product Brochure For ZS584T

Specific Features



Image 1



Image 3

Recommended Accessories

S581T

Hydraulic NC Panbrake - Ezy
 Touch Screen Control

S586T

Hydraulic NC Panbrake - Ezy
 Touch Screen Control

S585T

Hydraulic NC Panbrake - Ezy
 Touch Screen Control

M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue

O000


SpillFix Universal Organic
 Absorbent

O043

Rust & Corrosion Preventive

O042

General Purpose Lubricant &
 Corrosion Inhibitor



Product Brochure For ZS584T

O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



O004

Superdraulic ISO 46 Hi Temp Hydraulic Oil



M977

Digital Bevel Box

