

Product Brochure For ZS829

## Cold Saw, Includes Stand - CS-350V

160 x 90mm Rectangle Capacity

Ø350mm Blade, Variable Blade Speed 24-120rpm



ORDER CODE:	ZS829
MODEL:	CS-350V
Branch Location (State):	Sydney
Type:	Cold Saw
Brand:	HAFCO METALMASTER
Capacity:	160 x 90mm
Speed Range (rpm):	Variable 24-120
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 20



### Description

Manufactured in Taiwan

The latest 240 volt Hafco MetalMaster manual cold saw consists of a 350mm circular saw blade that can run at 24 to 120rpm via a electronic variable blade speed control and also incorporates a coolant system with an adjustable flow control valve. These cold saws are designed to cut at 90°; or mitre up to 45°; in either left or right side of the material simply by releasing the lever located at front of machine and swivelling the head to the desired angle. Each machine comes standard with a very heavy and strong cast iron frame base with a cast dual pivot saw head supported by an industrial swivel base system, which makes this MetalMaster cold saw one of the most rugged machines on the market.

The MetalMaster manual cold saw head is well balanced and uses a long actuating handle giving the operator greater leverage and control to guide the saw blade through the work piece of tubing or pipe etc, with ease and utilises a quality head retraction system for returning the cold saw head to the start position. The vice clamps the work piece on both sides of a cut, which extends blade life because the cut off does not drop into the blade.

### Features

- Electronic variable speed 24-120rpm
- 2.2kW / 3hp 240V heavy duty motor
- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Automatic retract safety blade guard covers blade when returned to home position
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

- Please Note:
- This machine is not supplied with a 240 volt plug

### Includes


Blade

Product Brochure For ZS829

- Stand
- Coolant system
- Material length stop

**Recommended Accessories**

**S092**  
 BROBOLUBE Industrial  
 Gearbox Oil



**S161**  
 HSS Cold Saw Blade



**S161A**  
 HSS Cold Saw Blade



**S161B**  
 HSS Cold Saw Blade



**S161C**  
 HSS Cold Saw Blade



**S161CC**  
 HSS + COBALT Cold Saw  
 Blade



**S161D**  
 HSS Cold Saw Blade



**S161E**  
 HSS Cold Saw Blade



Product Brochure For ZS829

**S161EC**  
 HSS + COBALT Cold Saw  
 Blade



**S161F**  
 HSS Cold Saw Blade



**S161FC**  
 HSS + COBALT Cold Saw  
 Blade



**S161H**  
 HSS + COBALT Cold Saw  
 Blade



**S090A**  
 Soluble Metal Cutting Fluid - 1  
 Litre



**S090**  
 Soluble Metal Cutting Fluid - 5  
 Litre



**S076**  
 Cutting Tool Lubricant Fluid -  
 500ml



**S077**  
 Drilling, Tapping & Cutting Tool  
 Lubricant Spray - 400g



**S075**  
 Cutting Tool Lubricant Paste -  
 200g



**S074**  
 Cutting Tool Lubricant Paste -  
 500g



**S091**  
 Soluble Metal Cutting Fluid - 20  
 Litre



**L300**  
 Magnetic Swarf Remover



Product Brochure For ZS829

M9991  
 Magnetic Floor Sweeper



L812  
 Roller Conveyor



L814  
 Roller Conveyor Stand



W343  
 Roller Stand



W343A  
 Roller Stand



W3434  
 Roller Stand




W3436  
 Roller Stand - V-Type



M800  
 Rubber Mat - Anti-Fatigue



M805  
 Rubber Mat - Anti-Fatigue



O000  
 SpillFix Universal Organic Absorbent



O043  
 Rust & Corrosion Preventive



O042  
 General Purpose Lubricant & Corrosion Inhibitor



Product Brochure For ZS829

---

O040

Rust & Corrosion Preventive

O044

Rust & Corrosion Preventive

