

Product Brochure For ZW169

Multi-Function Inverter TIG/MMA (ARC) Welder - VIPER™ TIG 180 AC/DC

#KUM-M-VTIG180ACDC

5-180 Amps Welding Current Range



ORDER CODE:	ZW169
MODEL:	VIPER™ TIG 180 AC/DC
Branch Location (State):	Brisbane
Type:	Multi-Function Inverter TIG/MMA (ARC) Welder
Brand:	UNIMIG
Capacity:	~
Speed Range (rpm):	~
Motor Power (kW / hp):	~
Voltage / Amperage (V / amp):	240 / 10



Description

The VIPER TIG 180 AC/DC is the perfect AC/DC TIG & STICK Welder for the DIY Enthusiast wanting both AC and DC TIG welding capabilities at an affordable price. Fitted with a 10 AMP Plug, this machine excels in the home workshop. The VIPER TIG 180 AC/DC allows for full control over the TIG welding process to ensure you can maximise your results from start to finish. Controllable parameters include Pre Gas Time, Start Current, Up Slope and Down Slope Time, Finish Current Level and Post Gas Time, among many others.

The all-new ARC TORCHOLOGY T2 TIG Torch comes standard with the VIPER TIG 180 AC/DC, offering up to 30% more power and longer consumable life-cycles. A Remote Foot Control (UTJRFC-4) can also be plugged into the machine for even more versatility. With all of these features packed into an affordable package, the VIPER TIG 180 AC/DC is a must-have for any DIY TIG enthusiast.

10 AMP PLUG

Plug and play. A 10 AMP power plug can be used on any domestic outlet. It's perfect for the DIY home handyman or the professional welder looking for a machine that can be used almost anywhere.

HIGH-FREQUENCY TIG

No need to arc up. High-Frequency TIG (H/F TIG) gives you more control when starting and stopping the arc. The arc can be started without contacting the workpiece reducing the risk of contaminating the tungsten or the weld.

PULSE FUNCTION

Going a little thin on top? Pulse TIG function allows you to control the heat, which in turn helps minimise distortion in the parent material. This is exceptionally useful on thin gauge materials.

Features

- 10 AMP Plug
- AC/DC H/F TIG & PULSE TIG
- Pre Gas 0.1 - 3.0 sec
- Start Amperage 5 - 160A
- Up Slope 0 - 10 sec
- Peak Amp 5 - 180A
- AC Square Wave 20 - 250Hz
- AC Balance Control ±10
- Down Slope 0 - 15 sec
- Adjustable Finish Amperage 5 - 180A
- Post Gas 0.5 - 15.0 sec
- STICK (MMA) with ARC FORCE

Product Brochure For ZW169

- Thermal overload protection
- IP21S rating for environmental/safety protection
- Generator compatible (recommend KVA minimum)
- VRD (Voltage Reduction Device)
- Foot Control Ready

Includes

- VIPER TIG 180 AC/DC Power Source
- 4m High Performance T2 TIG Torch (including consumables)
- 4m Twist Lock Electrode Holder
- 300 Amp Earth Clamp & Lead
- Argon Flowmeter Regulator
- 2m Gas Hose Complete with fittings
- Operating Manual

Optional Accessories

- Foot Control (W172A)
- Stand (W174B)

Recommended Accessories

W501A

M350 MIG Torch Consumables Starter Kit



W504A

T2 Tig Torch Consumable Pack



W10361

Magnetic TIG Torch Rest



W119

Anti-Spatter Spray



O0184

Ar/O₂ - Argon 98% & Oxygen 2% Disposable Cylinder



O0185

CO₂/Ar - 86% Argon & 14% Carbon Dioxide Disposable Cylinder



O300

Gas Refillable Cylinder



O304

Gas Refillable Cylinder



Product Brochure For ZW169

O3045
Gas Refillable Cylinder



O302
Gas Refillable Cylinder



O306
Gas Refillable Cylinder




O3065
Gas Refillable Cylinder



O0171
Argon Gas Regulator



W161
Argon Gas Regulator-Bobbin
Flowmeter



W160A
Argon Gas Regulator-Twin
Gauge



W5991
Ø10mm Ceramic Nozzle



W5993
1.6mm Collet Body



W5994
2.4mm Collet Body



W5996
Head Gasket



W5997
Heat Isolator



Product Brochure For ZW169

W5998

Long Black Cap



W5999

Short Back Cap



W590

1.6mm Tig Tungsten Electrode - Zirconiated White



W596

2.4mm Tig Tungsten Electrode - Zirconiated White



W597

1.6mm Tig Tungsten Electrode - Ceriated Grey



W598

2.4mm Tig Tungsten Electrode - Ceriated Grey



W002

Auto Darken Welding Helmet - 9~13 Shade



W1000A

Promax HV5 Welding Jacket



W1001A

Promax Blue FR Welding Jacket



W1002A

Professional Promax BL7 Welding Jacket




W100

ROGUE™ Heavy Duty Welding Gloves - 400mm



L3456

How to Weld Book



Product Brochure For ZW169

W225

Welding Curtain



W125

Ø1.6mm TIG Filler Rod - Mild Steel



W126

Ø2.4mm TIG Filler Rod - Mild Steel



W127

Ø1.6mm TIG Filler Rod - Stainless Steel



W128

Ø2.4mm TIG Filler Rod - Stainless Steel

